

## Gerber Centrifuges



### Centrifuge Gerber Universal

Multipurpose centrifuge for the dairy laboratory.

3 pre-programmed speeds for:

- Gerber Butyrometers (350 x g)
- Solubility in milk powder (164 x g)
- Extraction tubes Roese-Gottlieb/Mojonnier (80 x g)
- 1 variable speed range (200-1300 rpm), on request

Specifications:

- Timer 0 to 255 minutes
- Automatic brake
- Heating (option) with variable temperature setting up to 65 °C (1200 W)
- Microprocessor control with an LED display to show speed, run time, temperature and error messages
- Cover lock
- Steel casing (WxDxH): 64 x 64 x 45 cm

Order No.	Type	Qty per unit
03.3110-12	230 VAC/50 Hz, without heating and with universal rotor for 12 positions, without inserts (order separately)	1
03.3110-36	230 VAC/50 Hz, without heating and with special rotor incl. 36 sleeves (03.3340)	1
03.3111-12	115 VAC/60 Hz, without heating and with universal rotor for 12 positions, without inserts (order separately)	1
03.3111-36	115 VAC/60 Hz, without heating and with special rotor incl. 36 sleeves (03.3340)	1
03.3112-12	230 VAC/50 Hz, with heating and universal rotor for 12 positions, without inserts (order separately)	1
03.3112-36	230 VAC/50 Hz, with heating and special rotor incl. 36 sleeves (03.3340)	1
03.3113-12	115 VAC/60 Hz, with heating and universal rotor for 12 positions, without inserts (order separately)	1
03.3113-36	115 VAC/60 Hz, with heating and special rotor incl. 36 sleeves (03.3340)	1

## Accessories for Centrifuge Gerber Universal

### Universal Rotor for Centrifuge Gerber Universal

Order No.	Type	Qty per unit
03.3300	12 places, without inserts (order separately)	1



### Inserts for Universal Rotor (order separately)

Order No.	Type	Qty per unit
03.1630	Butyrometer insert Gerber sleeve with ring, made of stainless steel, Ø int. 26 mm, for butyrometers, solubility tubes and Roese-Gottlieb tubes	1
03.1631	Insert for ADPI solubility tubes made of stainless steel, Ø int. 31 mm, for solubility tubes according to ADPI	1
03.1632	Mojonnier insert insert with holder made of aluminum, for Mojonnier tubes	1
03.1633	Babcock insert (on request) made of stainless steel, Ø int. 38 mm, for babcock bottles	1

### Special Rotor for Centrifuge Gerber Universal

Order No.	Type	Qty per unit
03.3340	Complete with 36 swing out places, made of stainless steel, for Gerber butyrometers and solubility tubes according to Gerber	1
03.3341	Sleeve for special rotor, made of stainless steel, Ø int. 26 mm	1



## Gerber Centrifuges



### Centrifuge Gerber Micro II

Small centrifuge for the determination of fat in milk and dairy products and solubility of milk powder according to Gerber.

Specifications:

- Timer
- Automatic brake
- Heating with variable temperature setting (600 W)
- Microprocessor control with digital reading
- Cover lock
- Steel casing (WxDxH): 43 x 46 x 28 cm
- Incl. rotor (of aluminum) and bushing (of brass)

Order No.	Type	Qty per unit
03.2250	For 8 butyrometers, 230 VAC/50 Hz	1
03.2251	For 8 butyrometers, 115 VAC/60 Hz	1
03.2260	For 12 butyrometers, 230 VAC/50 Hz	1
03.2261	For 12 butyrometers, 115 VAC/60 Hz	1
03.2270	For 8 babcock bottles, 230 VAC/50 Hz	1
03.2271	For 8 babcock bottles, 115 VAC/60 Hz (on request)	1

### Consumables for Centrifuge Gerber Micro II

Order No.	Type	Qty per unit
03.16269-8	Bushing of brass, Ø int. 25.5 mm	8
03.16269-12	Bushing of brass, Ø int. 25.5 mm	12